



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandra, Virginia 22313-1450 www.usplo.gov

AP	PLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
	09/503,041	02/11/2000	Rajiv Laroia	14-7-3-3	6041	
	7590 07/13/2004			EXAMINER		
	Ryan & Mason	n LLP	YAO, KWANG BIN			
90 Forest Avenue Locust Valley, NY 11560				ART UNIT	PAPER NUMBER	
				2667 DATE MAILED: 07/13/2004	. 14	

Please find below and/or attached an Office communication concerning this application or proceeding.

					\sim			
. '		Applicati	on No.	Applicant(s)	S /			
		09/503,0	41	LAROIA ET AL.	q q			
Office Action Summary		Examine	r	Art Unit				
		Kwang B.	. Yao	2667				
D: 1 6	The MAILING DATE of this communication	ation appears on th	e cover sheet with t	he correspondence addr	ess			
Period fo	, -	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TO EVENE A MON	TU(C) EDOM				
THE - External after of the control	ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNIC, unsions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commune a period for reply specified above is less than thirty (30) of period for reply is specified above, the maximum stature to reply within the set or extended period for reply will reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	ATION. 37 CFR 1.136(a). In no evication. days, a reply within the statory period will apply and will, by statute, cause the app	vent, however, may a reply tutory minimum of thirty (30 vill expire SIX (6) MONTHS olication to become ABAND	be timely filed i) days will be considered timely, from the mailing date of this comi	nunication.			
Status								
1)	Responsive to communication(s) filed	on 05 April 2004.						
,)⊠ This action is r	non-final.					
3)	Since this application is in condition fo	·—		, prosecution as to the m	nerits is			
,_	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
4)🖂	Claim(s) 1-39 is/are pending in the app	plication.						
,—	4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed.							
5)[
	Claim(s) <u>1-39</u> is/are rejected.							
•	Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or election requirement.								
Applicat	ion Papers							
9)[The specification is objected to by the I	Examiner.						
·	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
,	Applicant may not request that any objection		•					
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)	The oath or declaration is objected to b	•		-				
Priority (under 35 U.S.C. § 119							
12)	Acknowledgment is made of a claim fo	r foreign priority un	der 35 U.S.C. § 11	9(a)-(d) or (f).				
-	☐ All b)☐ Some * c)☐ None of:		3	- (-) (-) (-)				
•	1. Certified copies of the priority do	ocuments have bee	en received.					
	2. Certified copies of the priority do			ication No				
	3. Copies of the certified copies of		• •		age			
	application from the International	al Bureau (PCT Ru	le 17.2(a)).					
* (See the attached detailed Office action	for a list of the cert	ified copies not rec	eived.				
Attachmen			_					
	ce of References Cited (PTO-892)	2.040)	4) Interview Sumr					
	e of Draftsperson's Patent Drawing Review (PTC mation Disclosure Statement(s) (PTO-1449 or PT			ail Date nal Patent Application (PTO-1	52)			
	r No(s)/Mail Date		6)	••				

Art Unit: 2667

DETAILED ACTION

Reopening of Prosecution

In view of the Appeal Brief filed on 4/5/04, PROSECUTION IS HEREBY REOPENED. 1. New grounds of rejection are set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

- (1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,
 - (2) request reinstatement of the appeal.

If reinstatement of the appeal is requested, such request must be accompanied by a supplemental appeal brief, but no new amendments, affidavits (37 CFR 1.130, 1.131 or 1.132) or other evidence are permitted. See 37 CFR 1.193(b)(2).

Claim Rejections - 35 USC § 112

2. Claims 1-39 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1, the statement of "transmitting at least one of an uplink access signal and an uplink timing synchronization signal from a mobile station" is not consistent with the statement of "such than different timing and access signals from the mobile station ... received at the base station" (Emphasis added). In other words, if only the uplink access signal is transmitted, the

Art Unit: 2667

uplink timing synchronization signal won't be received the base station, as recited in lines 6-7. The same problem is found in claims 35-39.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1- 6, 13, 23, 35-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted prior art in view of Natali et al. (US 6,317,412).

The admitted prior art discloses a wireless communication system comprising the following features: as described on line 17 of page 1 to line 21 of page 2 of the present application, regarding claim 1, transmitting at least one of an uplink access signal and an uplink timing synchronization signal from a mobile station of the system to a base station of the system, wherein the at least one signal is from a signal set which includes a plurality of orthogonal signals; regarding claim 2 wherein the wireless system comprises an orthogonal frequency division multiplexed OFDM system; regarding claim 6, wherein the multitone signals are transmitted with a cyclic prefix sufficiently large to cover multipath dispersion and pre-synchronization timing errors; regarding claim 23, wherein received signal power can be estimated in the base station by a measure of maximum total cross-correlation energy; regarding claim 35, a mobile station system for use in a wireless communication system, the mobile station system being operative to transmit at least one of an uplink access signal and an uplink timing

Application/Control Number: 09/503,041

Art Unit: 2667

synchronization signal from a corresponding mobile station of the system to a base station of the system, wherein the at least one signal is from a signal set which includes a plurality of orthogonal signals; regarding claim 36, an apparatus for use in a wireless communication system, the apparatus comprising: means for transmitting at least one of an uplink access signal and an uplink timing synchronization signal from a mobile station of the system to a base station of the system, wherein the at least one signal is from a signal set which includes a plurality of orthogonal signals, and means for generating the at least one signal to be transmitted; regarding claim 37, a method for use in a wireless communication system, comprising the step of: receiving at least one of an uplink access signal and an uplink timing synchronization signal in a base station of the system from a mobile station of the system, wherein the at least one signal is from a signal set which includes a plurality of orthogonal signals; regarding claim 38, an apparatus for use in a wireless communication system, the apparatus comprising: means for receiving at least one of an uplink access signal and an uplink timing synchronization signal in a base station of the system from a mobile station of the system, wherein the at least one signal is from a signal set which includes a plurality of orthogonal signals, and means for processing the received at least one signal; regarding claim 39, a base station system for use in a wireless communication system, the base station system being operative to receive at least one of an uplink access signal and an uplink timing synchronization signal from a mobile station of the system, wherein the at least one signal is from a signal set which includes a plurality of orthogonal signals.

The admitted prior art does not disclose the following features: regarding claim 1, such that different timing and access signals from the mobile station and at least one other mobile

station of the system are received at the base station orthogonal to one another over a base station sample window; regarding claim 3, wherein the signal set comprises a plurality of multitone signals, each of at least a subset of the multitone signals comprising a linear combination of tones whose baseband frequencies are integer multiples of 1 /T, where T is the base station sample window size; regarding claim 4, wherein the sample window size T for the timing and access signals is the same as that used in the system for OFDM data symbols; regarding claim 5, wherein each timing and access signal comprises a single multitone signal with different signals using non-overlapping subsets of tones, and further wherein the tones from all of the timing and access signals span the total available bandwidth; regarding claim 13, wherein the mobile station pre-computes a multitone timing and access signal and stores it in a memory associated with the mobile station; regarding claim 35, such that different timing and access signals from the mobile station and at least one other mobile station of the system are received at the base station orthogonal to one another over a base station sample window; regarding claim 36, such that different timing and access signals from the mobile station and at least one other mobile station of the system are received at the base station orthogonal to one another over a base station sample window; regarding claim 37, such that different timing and access signals from the mobile station and at least one other mobile station of the system are received at the base station orthogonal to one another over a base station sample window; regarding claim 38, such that different timing and access signals from the mobile station and at least one other mobile station of the system are received at the base station orthogonal to one another over a base station sample window; regarding claim 39, such that different timing and access signals from the

Application/Control Number: 09/503,041

Art Unit: 2667

mobile station and at least one other mobile station of the system are received at a corresponding base station orthogonal to one another over a base station sample window.

Natali et al. discloses a spread spectrum communication system comprising the following features: The admitted prior art does not disclose the following features: The admitted prior art does not disclose the following features: as depicted in Figs .2, 7, 8, 9, regarding claim 1, such that different timing and access signals from the mobile station (USER #1) and at least one other mobile station (USER #2) of the system are received at the base station (HS) orthogonal to one another over a base station (HS) sample window (column 5, lines 16-62); regarding claim 3, wherein the signal set comprises a plurality of multitone signals, each of at least a subset of the multitone signals comprising a linear combination of tones whose baseband frequencies are integer multiples of 1 /T, where T is the base station (HS) sample window size (column 5, lines 16-62); regarding claim 4, wherein the sample window size T for the timing and access signals is the same as that used in the system for OFDM data symbols; regarding claim 5, wherein each timing and access signal comprises a single multitone signal with different signals using nonoverlapping subsets of tones, and further wherein the tones from all of the timing and access signals span the total available bandwidth (column 5, lines 16 to column 6, line 32); regarding claim 13, wherein the mobile station (USER #1) pre-computes a multitone timing and access signal and stores it in a memory (10, 11, 16, 17) associated with the mobile station (USER #1); regarding claim 35, such that different timing and access signals from the mobile station (USER #1) and at least one other mobile station (USER #2) of the system are received at the base station (HS) orthogonal to one another over a base station (HS) sample window (column 5, lines 16-62); regarding claim 36, such that different timing and access signals from the mobile station (USER

Application/Control Number: 09/503,041 Page 7

Art Unit: 2667

#1) and at least one other mobile station (USER #2) of the system are received at the base station (HS) orthogonal to one another over a base station (HS) sample window(column 5, lines 16 to column 6, line 32); regarding claim 37, such that different timing and access signals from the mobile station (USER #1) and at least one other mobile station (USER #2) of the system are received at the base station (HS) orthogonal to one another over a base station (HS) sample window; regarding claim 38, such that different timing and access signals from the mobile station (USER #1) and at least one other mobile station (USER #2) of the system are received at the base station (HS) orthogonal to one another over a base station (HS) sample window (column 5, lines 16 to column 6, line 32); regarding claim 39, such that different timing and access signals from the mobile station (USER #1) and at least one other mobile station (USER #2) of the system are received at a corresponding base station (HS) orthogonal to one another over a base station (HS) sample window (column 5, lines 16 to column 6, line 32). It would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the system of the admitted prior art, by using the features, as taught by Natali et al., in order to provide an efficient communication system by increasing capacity. See column 2, lines 13-18.

Allowable Subject Matter

5. Claims 7-12, 14-22, 24-34 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Conclusion

Art Unit: 2667

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kwang B. Yao whose telephone number is 703-308-7583. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi H Pham can be reached on 703-305-4378. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KWANG BIN YAO PRIMARY EXAMINER

Kwang B. Yao